

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



| Year | Application | Setting | Front | Rear |
|----------------------------------------------------|--------------------------------------------------------|---------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------|
| BUICK | | | | |
| Utility 2WD & 4WD (Standard Suspension) | | | | |
| Rainier | | | | |
| 04-04 | Air Suspension Rear | HD | BE5-A333-H0 | BE5-A334-H0 |
| | Non-Air Rear | HD | BE5-A333-H0 | BE5-A335-H0 |
| CADILLAC | | | | |
| Utility 4WD (Standard Suspension) | | | | |
| Escalade | | | | |
| 99-99 | | C | BE5-2424 | BE5-2425 |
| | | HD | BE5-A405-H0 | B46-2179 |
| CHEVROLET | | | | |
| Mini-Van (M Series-Standard Suspension) | | | | |
| Astro | | | | |
| 85-02 | 2WD | HD | B46-1104 | B46-1047 |
| 90-02 | AWD | HD | B46-2136 | B46-1047 |
| Mini-Van (U Series-Standard Suspension) | | | | |
| Lumina APV | | | | |
| 90-96 | | HD | S36-0203 | B46-1019 ¹⁹ |
| Pickup 2WD (Lifted Suspension) | | | | |
| C1500 | | | | |
| 88-98 | | 5100 | BE5-621-H5 ⁴⁴ ⁴⁶ ⁶⁰ BE5-621-H5 ⁴⁴ ⁴⁶ ⁶² | BE5-1698 ⁶⁹ BE5-6137-H5 ⁴⁵ ⁶⁷ |
| Pickup 2WD (Lowered Suspension) | | | | |
| C1500 | | | | |
| 88-98 | | HD | AK2083 ⁸⁰ | B46-2171 ⁸¹ |
| Pickup 2WD (Standard Suspension) | | | | |
| C1500, Silverado 1500 | | | | |
| 99-04 | Exc. HD Model; Exc. Quad Steer | C | BE5-2906 | BE5-2907 |
| | | HD | BE5-2902 | BE5-2903 |
| | HD Model; Exc. Quad Steer | HD | BE5-6081-H0 | BE5-6082-H0 |
| 88-98 | | C | B46-2033 | B46-1453 |
| | | HD | B46-1697 | B46-1698 |
| C10 | | | | |
| 73-87 | | HD | B46-1185 | B46-0933 |
| C2500, Silverado 2500 | | | | |
| 99-04 | Including HD Model; Exc. Quad Steer; Torsion Bar Front | HD | BE5-6081-H0 | BE5-6082-H0 |
| 88-98 | Including HD Model | C | B46-2033 | B46-1453 |
| | | HD | B46-1697 | B46-1698 |
| C20 | | | | |
| 73-87 | Crew Cab | HD | B46-1185 | B46-1587 |
| | Exc. Crew Cab | HD | B46-1185 | B46-0933 |
| C10, C20 | | | | |
| 67-72 | | HD | B46-1185 | N/A |

| Year | Application | Setting | Front | Rear |
|-----------------------------------------|-------------------------------------|-----------|---------------------------|----------------------------------------------------------|
| CHEVROLET (cont.) | | | | |
| C3500, Silverado 3500 | | | | |
| 00-04 | Including dual wheel | HD | BE5-6081-H0 | BE5-6501-H1 |
| 88-99 | Including dual wheel | C | B46-2033 | B46-1453 |
| | | HD | B46-1697 | B46-1698 |
| C30 | | | | |
| 73-87 | | HD | B46-1185 | B46-1587 |
| 63-72 | Exc. 157" wheel base | HD | B46-1185 | N/A |
| R10 | | | | |
| 87-91 | | HD | B46-1185 | B46-0933 |
| R20 | | | | |
| 87-91 | Exc. Crew Cab | HD | B46-1185 | B46-0933 |
| R20, R30 | | | | |
| 87-91 | Crew Cab | HD | B46-1185 | B46-1587 |
| S10 Pickup | | | | |
| 82-00 | | HD | B46-1307 | B46-1681 |
| Pickup 4WD (Lifted Suspension) | | | | |
| K1500 | | | | |
| 88-98 | | 5100 | BE5-6139-H5 ⁶⁴ | BE5-6137-H5 ⁴⁵ ⁷² ⁸¹ |
| Pickup 4WD (Standard Suspension) | | | | |
| K1500, Silverado 1500 | | | | |
| 00-04 | HD Model; Exc. Quad Steer | HD | BE5-6081-H0 | BE5-6082-H0 |
| 99-03 | Exc. HD Model; Exc. Quad Steer | HD | BE5-2904 | BE5-2905 |
| 88-98 | | C | BE5-2503 | B46-2087 |
| | | HD | BE5-A405-H0 | B46-2043 |
| K2500, Silverado 2500 | | | | |
| 00-04 | Including HD Model; Exc. Quad Steer | HD | BE5-6081-H0 | BE5-6082-H0 |
| 88-99 | Including HD Model | HD | BE5-A405-H0 | BE5-2568 |
| K10, K20 | | | | |
| 73-87 | | HD | B46-0923 | B46-0933 |
| 69-72 | | HD | B46-0923 | N/A |
| K3500, Silverado 3500 | | | | |
| 00-04 | Including dual wheel | HD | BE5-6081-H0 | BE5-6501-H1 |
| 88-99 | Including dual wheel | HD | BE5-A405-H0 | BE5-2568 |
| K30 | | | | |
| 77-87 | | HD | AK2042 | AK2043 |
| V10, V20 | | | | |
| 87-91 | | HD | B46-0923 | B46-0933 |
| | | Auxiliary | B46-1026 | |
| V30 | | | | |
| 87-91 | Crew Cab | HD | AK2042 | AK2043 |
| S10 Pickup | | | | |
| 94-01 | With ZR2 Suspension; From 94 1/2 | HD | B46-1818 | B46-1819 |
| 82-01 | Exc. ZR2 Suspension | HD | B46-1410 | B46-1681 |

¹⁹ Replacement unit is a conventional shock. Leveling system will not function when this shock is installed. ⁸⁰ 2 - 4" Lowered front, spindle and/or spring.
⁴¹ 4 - 6" Lowered rear, flip kit with lower mount extension. ⁸² Except I-beam front suspension. ⁴⁴ Applies to upper A-arm type lift only.
⁴⁵ Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁴⁶ Shocks are banded compressed to aid installation.
⁶⁰ Front 3" Lift. ⁶² Front 6" Lift. ⁶⁴ Front 4-6" Lift. ⁶⁷ Rear 3" Lift. ⁶⁹ Rear 0-1" Lift. ⁷² Rear 2-4" Lift. ⁸¹ Must order 1/2" sleeve part 423480.

| Year | Application | Setting | Front | Rear |
|------------------------------------------------|---------------------|-----------------|----------------------------------------------------|---------------------------------------|
| CHEVROLET (cont.) | | | | |
| Step Van (P Series-Standard Suspension) | | | | |
| P10, P20, P30 | | | | |
| 84-00 | | Steering Damper | BE3-2645 [Ⓜ] | |
| 73-00 | | C | B46-2137 [Ⓜ] | B46-1587 |
| | | HD | B46-1173 [Ⓜ] | B46-1587 |
| P10 | | | | |
| 63-72 | | HD | B46-1173 | N/A |
| Utility 2WD (Lifted Suspension) | | | | |
| Suburban 1500 | | | | |
| 92-99 | | 5100 | BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ] | BE5-6137-H5 [Ⓜ] [Ⓜ] |
| Tahoe | | | | |
| 95-99 | 4 Door | 5100 | BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ] | BE5-6254-H5 [Ⓜ] [Ⓜ] |
| 94-99 | 2 Door | 5100 | BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ] | BE5-6137-H5 [Ⓜ] [Ⓜ] |
| Blazer (Full Size) | | | | |
| 92-94 | 2 Door | 5100 | BE5-6210-H5 [Ⓜ] [Ⓜ] [Ⓜ] | BE5-6137-H5 [Ⓜ] [Ⓜ] |
| Utility 2WD (Standard Suspension) | | | | |
| Suburban 1500 | | | | |
| 00-04 | | HD | BE5-6500-H0 | BE5-6501-H0 [Ⓜ] |
| 92-99 | | C | BE5-2416 | BE5-2417 |
| | | HD | B46-2247 | B46-2248 |
| 73-91 | | HD | B46-1185 | B46-0933 |
| Suburban 2500 | | | | |
| 00-04 | Torsion Bar Front | HD | BE5-6081-H0 | BE5-6501-H1 |
| 92-99 | | HD | BE5-2422 | BE5-2423 |
| 73-91 | | HD | B46-1185 | B46-0933 |
| Tahoe | | | | |
| 00-04 | 4 Door | HD | BE5-6500-H0 | BE5-6501-H0 [Ⓜ] |
| 97-99 | 2 Door | HD | BE5-2422 | BE5-2415 |
| 95-99 | 4 Door | C | BE5-2410 | BE5-2411 |
| | | HD | BE5-2670 | BE5-2672 |
| Blazer (Full size) | | | | |
| 73-87 | | HD | B46-1185 | B46-0933 |
| 69-72 | | HD | B46-1185 | N/A |
| Avalanche 1500 | | | | |
| 02-04 | | HD | BE5-6500-H0 | In Dev. [Ⓜ] |
| Avalanche 2500 | | | | |
| 02-04 | | HD | BE5-6081-H0 | BE5-6501-H1 |
| TrailBlazer | | | | |
| 02-04 | Air Suspension Rear | HD | BE5-A333-H0 | BE5-A334-H0 |
| | Non-Air Rear | HD | BE5-A333-H0 | BE5-A335-H0 |
| S10 Blazer | | | | |
| 82-02 | | HD | B46-1307 | B46-1413-M0 |

| Year | Application | Setting | Front | Rear |
|------------------------------------------|---------------------|-----------|---------------------------------------|---------------------------------------|
| CHEVROLET (cont.) | | | | |
| El Camino | | | | |
| 73-87 | | HD | B36-0949 | B46-0929 [Ⓜ] |
| Utility 4WD (Lifted Suspension) | | | | |
| Suburban 1500 | | | | |
| 92-99 | | 5100 | BE5-6139-H5 [Ⓜ] [Ⓜ] | BE5-6137-H5 [Ⓜ] [Ⓜ] |
| Tahoe | | | | |
| 94-99 | 2 Door | 5100 | BE5-6139-H5 [Ⓜ] [Ⓜ] | BE5-6137-H5 [Ⓜ] [Ⓜ] |
| | 4 Door | 5100 | BE5-6139-H5 [Ⓜ] [Ⓜ] | BE5-6254-H5 [Ⓜ] [Ⓜ] |
| Blazer (Full Size) | | | | |
| 92-94 | 2 Door | 5100 | BE5-6139-H5 [Ⓜ] [Ⓜ] | BE5-6137-H5 [Ⓜ] [Ⓜ] |
| Utility 4WD (Standard Suspension) | | | | |
| Suburban 1500 | | | | |
| 00-04 | | HD | BE5-6500-H0 | BE5-6501-H0 [Ⓜ] |
| 92-99 | | HD | BE5-A405-H0 [Ⓜ] | BE5-2421 |
| | | SP | B46-2041 [Ⓜ] | B46-2042 |
| | | HD | B46-0923 | B46-0933 |
| 73-91 | | Auxiliary | B46-1026 | |
| Suburban 2500 | | | | |
| 00-04 | | HD | BE5-6081-H0 | BE5-6501-H1 |
| 92-99 | | HD | BE5-A405-H0 | BE5-2419 |
| | | SP | BE5-2403 | BE5-2405 |
| | | HD | B46-0923 | B46-0933 |
| 73-91 | | Auxiliary | B46-1026 | |
| Tahoe | | | | |
| 00-04 | 4 Door | HD | BE5-6500-H0 | BE5-6501-H0 [Ⓜ] |
| 95-99 | 2 Door | HD | BE5-2501 | BE5-2502 |
| | | C | BE5-2412 [Ⓜ] | BE5-2413 |
| | 4 Door | HD | BE5-A405-H0 [Ⓜ] | B46-2179 |
| Blazer (Full size) | | | | |
| 92-94 | 2 Door | HD | BE5-2501 | BE5-2502 |
| 80-91 | 2 Door | Auxiliary | B46-1026 | |
| 73-91 | 2 Door | HD | B46-0923 | B46-0933 |
| 69-72 | 2 Door | HD | B46-0923 | N/A |
| Avalanche 1500 | | | | |
| 02-04 | | HD | BE5-6500-H0 | In Dev. [Ⓜ] |
| Avalanche 2500 | | | | |
| 02-04 | | HD | BE5-6081-H0 | BE5-6501-H1 |
| TrailBlazer | | | | |
| 02-04 | Air Suspension Rear | HD | BE5-A333-H0 | BE5-A334-H0 |
| | Non-Air Rear | HD | BE5-A333-H0 | BE5-A335-H0 |
| S10 Blazer | | | | |
| 95-02 | With ZR2 Suspension | HD | B46-1852 | B46-2194 |
| 82-02 | Exc. ZR2 Suspension | HD | B46-1412 | B46-1413-M0 |
| | | SP | B46-1412-H0 | B46-1413-H0 |

[Ⓜ]Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

[Ⓜ]Lower Mount may need additional clearance in order to install 46mm shocks.

[Ⓜ]Except I-beam front suspension.

[Ⓜ]Applies to upper A-arm type lift only.

[Ⓜ]Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. [Ⓜ]Shocks are banded compressed to aid installation.

[Ⓜ]In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199020 should be utilized. This will not replace electronic dampers.

[Ⓜ]In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199021 should be utilized. This will not replace electronic dampers.

[Ⓜ]Front 3" Lift. [Ⓜ]Front 6" Lift. [Ⓜ]Front 4-6" Lift. [Ⓜ]Rear 0-1" Lift. [Ⓜ]Rear 2-4" Lift.

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



Year Application Setting Front Rear

CHEVROLET (cont.)

Van (G Series-Standard Suspension)

Express 1500, Express 2500

| | | | | |
|-------|-----------------|----|----------|----------|
| 96-04 | GVW to 7300 lbs | HD | BE5-2565 | BE5-2481 |
|-------|-----------------|----|----------|----------|

Express 2500

| | | | | |
|-------|-------------------|----|----------|----------|
| 96-04 | GVW over 7300 lbs | HD | BE5-2565 | BE5-2570 |
|-------|-------------------|----|----------|----------|

Express 3500

| | | | | |
|-------|--|----|----------|----------|
| 96-04 | | HD | BE5-2565 | BE5-2570 |
|-------|--|----|----------|----------|

G10, G20

| | | | | |
|-------|--|----|----------|----------|
| 78-95 | | HD | B46-1025 | B46-1026 |
|-------|--|----|----------|----------|

| | | | | |
|-------|--|----|----------|-----|
| 71-77 | | HD | B46-1025 | N/A |
|-------|--|----|----------|-----|

G30

| | | | | |
|-------|-----------------------|----|----------|----------|
| 78-95 | Exc. dual rear wheels | HD | B46-1025 | B46-1026 |
|-------|-----------------------|----|----------|----------|

| | | | | |
|-------|------------------|----|----------|----------|
| 75-95 | Dual rear wheels | HD | B46-1025 | B46-1141 |
|-------|------------------|----|----------|----------|

| | | | | |
|-------|-----------------------|----|----------|-----|
| 71-77 | Exc. dual rear wheels | HD | B46-1025 | N/A |
|-------|-----------------------|----|----------|-----|

DODGE

Pickup 2WD (Standard Suspension)

Dakota

| | | | | |
|-------|----------|----|-------------|-------------|
| 01-03 | Quad Cab | HD | BE5-6460-H0 | BE5-A701-H0 |
|-------|----------|----|-------------|-------------|

| | | | | |
|-------|---------------|----|-------------|-------------|
| 97-03 | Exc. Quad Cab | HD | BE5-6460-H0 | BE5-6538-H0 |
|-------|---------------|----|-------------|-------------|

| | | | | |
|-------|---------------|----|----------|----------|
| 86-96 | Exc. Quad Cab | HD | B36-2174 | B46-2175 |
|-------|---------------|----|----------|----------|

Ram 1500

| | | | | |
|-------|--|----|-------------|-------------|
| 02-04 | | HD | BE5-6927-H0 | BE5-2550-H1 |
|-------|--|----|-------------|-------------|

| | | | | |
|-------|--|----|----------|----------|
| 94-01 | | HD | B46-1907 | B46-1908 |
|-------|--|----|----------|----------|

D100, D150

| | | | | |
|-------|--------------------------------|----|----------|-----|
| 72-93 | Gas Engine; Up to 9000 lbs GVW | HD | B46-0925 | N/A |
|-------|--------------------------------|----|----------|-----|

Ram 2500, Ram 3500

| | | | | |
|-------|-----------------------|----|----------|----------|
| 94-02 | Exc. Solid axle front | HD | B46-1907 | B46-1908 |
|-------|-----------------------|----|----------|----------|

| | | | | |
|--|------------------|----|----------|----------|
| | Solid axle front | HD | BE5-2549 | B46-1908 |
|--|------------------|----|----------|----------|

D200, D250

| | | | | |
|-------|--------------------------------------|----|----------|----------|
| 72-93 | Diesel Engine; 9000 lbs and over GVW | HD | BE5-2514 | BE5-2504 |
|-------|--------------------------------------|----|----------|----------|

| | | | | |
|--|-----------------------------------|----|----------|-----|
| | Gas Engine; 9000 lbs and over GVW | HD | BE5-2514 | N/A |
|--|-----------------------------------|----|----------|-----|

| | | | | |
|--|--------------------------------|----|----------|-----|
| | Gas Engine; Up to 9000 lbs GVW | HD | B46-0925 | N/A |
|--|--------------------------------|----|----------|-----|

D300, D350

| | | | | |
|-------|-----------------------|----|----------|----------|
| 72-93 | 9000 lbs and over GVW | HD | BE5-2514 | BE5-2504 |
|-------|-----------------------|----|----------|----------|

D50

| | | | | |
|-------|--|----|----------|----------|
| 79-91 | | HD | B36-0949 | B46-0257 |
|-------|--|----|----------|----------|

Pickup 4WD (Lifted Suspension)

Ram 1500

| | | | | | |
|-------|------|---------------------------|---------------------------|---------------------------|---------------------------|
| 94-01 | 5100 | BE5-6646-H5 ⁶¹ | BE5-6647-H5 ⁶⁸ | BE5-6681-H5 ⁶⁰ | BE5-6682-H5 ⁶⁹ |
|-------|------|---------------------------|---------------------------|---------------------------|---------------------------|

Ram 2500

| | | | | | |
|-------|------|---------------------------|----------------------------|--|--|
| 02-04 | 5100 | BE5-6681-H5 ⁶² | BE5-6647-H5 ¹⁰⁶ | | |
|-------|------|---------------------------|----------------------------|--|--|

| | | | | | |
|-------|------|---------------------------|-----|----------------------------|---------------------------|
| 94-02 | 5100 | BE5-6646-H5 ⁶¹ | N/A | BE5-6681-H5 ¹⁰¹ | BE5-6682-H5 ⁶⁹ |
|-------|------|---------------------------|-----|----------------------------|---------------------------|

Year Application Setting Front Rear

DODGE (cont.)

Pickup 4WD (Standard Suspension)

Dakota

| | | | | |
|-------|----------|----|----------|-------------|
| 01-03 | Quad Cab | HD | BE5-2617 | BE5-A702-H0 |
|-------|----------|----|----------|-------------|

| | | | | |
|-------|---------------|----|----------|----------|
| 97-03 | Exc. Quad Cab | HD | BE5-2617 | BE5-2618 |
|-------|---------------|----|----------|----------|

| | | | | |
|-------|---------------|----|----------|----------|
| 86-96 | Exc. Quad Cab | HD | B36-2176 | B46-2177 |
|-------|---------------|----|----------|----------|

Ram 1500

| | | | | |
|-------|--|----|-------------|-------------|
| 02-03 | | HD | BE5-6928-H0 | BE5-2550-H1 |
|-------|--|----|-------------|-------------|

| | | | | |
|-------|--|----|----------|----------|
| 94-01 | | HD | B46-2129 | B46-2130 |
|-------|--|----|----------|----------|

Ram 2500, Ram 3500

| | | | | |
|-------|--------------------------|----|----------|----------|
| 94-02 | GVW 6400 lbs to 7500 lbs | HD | B46-2129 | B46-2130 |
|-------|--------------------------|----|----------|----------|

| | | | | |
|--|-------------------|----|----------|----------|
| | GVW over 8400 lbs | HD | BE5-2549 | BE5-2550 |
|--|-------------------|----|----------|----------|

Ram 50

| | | | | |
|-------|--|----|----------|----------|
| 82-91 | | HD | B36-0949 | B46-0258 |
|-------|--|----|----------|----------|

Utility 2WD (Standard Suspension)

Durango

| | | | | |
|-------|--|----|-------------|-------------|
| 98-02 | | HD | BE5-6460-H0 | BE5-6538-H0 |
|-------|--|----|-------------|-------------|

AD100 (Ramcharger)

| | | | | |
|-------|--|----|----------|----------|
| 72-94 | | HD | B46-1828 | B46-1829 |
|-------|--|----|----------|----------|

Utility 4WD (Standard Suspension)

Durango

| | | | | |
|-------|--|----|----------|----------|
| 98-02 | | HD | BE5-2617 | BE5-2790 |
|-------|--|----|----------|----------|

Raider

| | | | | |
|-------|-------|----|----------|-----|
| 86-87 | 4 cyl | HD | B46-0422 | N/A |
|-------|-------|----|----------|-----|

Van (Standard Suspension)

B100, B150, B200, B250

| | | | | |
|-------|--|----|----------|----------|
| 70-03 | | HD | B46-0925 | B46-1137 |
|-------|--|----|----------|----------|

B300, B350

| | | | | | | |
|-------|--|----|------------------------|----------|------------------------|----------|
| 70-03 | | HD | B46-0925 ⁶⁴ | B46-1137 | B46-1401 ⁶³ | B46-1137 |
|-------|--|----|------------------------|----------|------------------------|----------|

FORD

Mini-Van (Standard Suspension)

Aerostar

| | | | | |
|-------|----------|----|--------|--------|
| 89-98 | Exc. AWD | HD | AK1088 | AK1089 |
|-------|----------|----|--------|--------|

| | | | | |
|-------|----------|----|--------|--------|
| 85-88 | Exc. AWD | HD | AK1088 | AK1081 |
|-------|----------|----|--------|--------|

Pickup 2WD (Lifted Suspension)

F150

| | | | | |
|-------|------|-----------------------------------------|------------------------|-----------------------------------------|
| 97-03 | 5100 | BE5-6092-H5 ⁴⁴ ⁶⁰ | BE5-2479 ⁶⁹ | BE5-6093-H5 ⁴⁵ ⁶⁷ |
|-------|------|-----------------------------------------|------------------------|-----------------------------------------|

| | | | | |
|--|--|-----------------------------------------|--|-----------------------------------------|
| | | BE5-6092-H5 ⁴⁴ ⁶² | | BE5-6244-H5 ⁴⁵ ⁷² |
|--|--|-----------------------------------------|--|-----------------------------------------|

| | | | | | |
|-------|------|-----------------------------------------|-----------------------------------------|---------------------------|---------------------------|
| 85-96 | 5100 | BE5-6243-H5 ⁴⁵ ⁶¹ | BE5-6244-H5 ⁴⁵ ⁷² | BE5-6528-H5 ⁶² | BE5-6244-H5 ⁷² |
|-------|------|-----------------------------------------|-----------------------------------------|---------------------------|---------------------------|

F250

| | | | | | |
|-------|------|----------------------------------------------------|-------------------------------------|----------------------------------------------------|-------------------------------------|
| 99-03 | 5100 | In Dev. ⁴⁵ ⁶¹ ¹⁰² | In Dev. ⁴⁵ ⁶⁹ | In Dev. ⁴⁵ ⁶² ¹⁰² | In Dev. ⁴⁵ ⁷³ |
|-------|------|----------------------------------------------------|-------------------------------------|----------------------------------------------------|-------------------------------------|

| | | | | | |
|-------|------|-----------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 80-98 | 5100 | BE5-6243-H5 ⁴⁵ ⁶¹ | In Dev. ⁴⁵ ⁶⁶ | In Dev. ⁴⁵ ⁶² | In Dev. ⁴⁵ ⁷³ |
|-------|------|-----------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|

⁶³Front axle 4000 lbs. and over. ⁶⁴Front axle less than 4000 lbs. ⁴⁴Applies to upper A-arm type lift only.
⁴⁵Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁶⁰Front 3" Lift. ⁶¹Front 4" Lift. ⁶²Front 6" Lift.
⁶⁶Rear 2" Lift. ⁶⁷Rear 3" Lift. ⁶⁸Rear 4" Lift. ⁶⁹Rear 0-1" Lift. ⁷²Rear 2-4" Lift. ⁷³Rear 3-4" Lift. ⁶¹Front 5-6" Lift. ⁶²Front 0-2" Lift.
¹⁰¹Front 2" Lift. ¹⁰²Will not work with aftermarket radius arm. ¹⁰⁶Rear 0" Lift.

| Year | Application | Setting | Front | Rear |
|-----------------------------------------|-------------------------------------|---------|--------------------------------------------|--------------------------------------------|
| FORD (cont.) | | | | |
| Ranger | | | | |
| 83-97 | | 5100 | BE5-6215-H5 ⁴⁵ ⁶⁵ | BE5-2792 ⁶⁸ |
| | | | BE5-6215-H5 ⁴⁵ ⁶⁵ | BE5-6216-H5 ⁴⁵ ⁷¹ |
| | | | BE5-6526-H5 ⁴⁵ ⁶² | BE5-6527-H5 ⁴⁵ ⁶⁷ |
| Pickup 2WD (Lowered Suspension) | | | | |
| F150 Except Lightning | | | | |
| 85-96 | | HD | B46-2172 ⁶⁷ | B46-2173 ⁶⁸ |
| F150 Lightning | | | | |
| 93-95 | | HD | B46-2172 ⁶⁷ | AK2290 ⁶⁸ |
| Pickup 2WD (Standard Suspension) | | | | |
| F150 Except Lightning | | | | |
| 04 | | HD | BE5-A761-H0 | BE5-A762-H0 |
| 97-03 | Exc. HD Model | HD | BE5-2478 | BE5-2479 |
| | | SP | BE5-2478-H1 | BE5-2479-H1 |
| 97-02 | HD Model | HD | BE5-2478 | AK2283 |
| 85-96 | | HD | B46-1328 | B46-1329 |
| 80-84 | | HD | B46-1328 | B46-1327 |
| F150 Lightning | | | | |
| 99-04 | | HD | BE5-2478-H1 | BE5-2479-H1 |
| 93-95 | | HD | AK1289 | AK1290 |
| F150 Super Crew | | | | |
| 01-03 | | HD | BE5-2571 | BE5-2479 |
| F250 | | | | |
| 97-02 | Light duty Model; Exc. air-leveling | HD | BE5-2478 | AK2283 |
| 80-98 | HD Model; Exc. dual rear wheels | HD | B46-1328 | B46-1329 |
| F250 Superduty | | | | |
| 99-04 | | HD | BE5-2815 | BE5-2816 |
| F350 | | | | |
| 85-98 | Dual rear wheels | HD | B46-1328 | B46-1327 |
| 80-98 | HD Model; Exc. dual rear wheels | HD | B46-1328 | B46-1329 |
| F350 Superduty | | | | |
| 99-04 | 141, 162, and 176 " Wheelbase | HD | BE5-2815 | B46-1329 |
| | 142, 156, 158 and 172 " Wheelbase | HD | BE5-2815 | BE5-2816 |
| F450 Superduty | | | | |
| 93-99 | GVW 15,000 | HD | AK1192 | AK1193 |
| 88-93 | GVW 14,000 | HD | AK1191 | AK1193 |
| Ranger Trailhead, Ranger Edge | | | | |
| 99-04 | | HD | BE5-2794 | BE5-2795 |
| Ranger | | | | |
| 98-04 | Exc. Trailhead and Edge | HD | BE5-2791 | BE5-2792 |
| 90-97 | | HD | B46-2236 | B46-2283 |
| 83-89 | | HD | B46-1017 | B46-1018 |

| Year | Application | Setting | Front | Rear |
|----------------------------------------------------|-------------------------------------------|---------|----------------------------------------------------|--------------------------------------------|
| FORD (cont.) | | | | |
| Pickup 4WD (Lifted Suspension) | | | | |
| F150 | | | | |
| 80-96 | | 5100 | BE5-6243-H5 ⁴⁵ ⁶¹ | BE5-6244-H5 ⁴⁵ ⁶⁶ |
| | | | BE5-6528-H5 ⁶² | BE5-6527-H5 ⁶⁸ |
| | Auxiliary | | BE5-6238-H5 ⁴⁵ ⁶¹ | |
| F250 Superduty, F350 Superduty | | | | |
| 99-03 | | 5100 | BE5-6245-H5 ⁶⁴ | BE5-6246-H5 ⁷⁰ |
| Ranger | | | | |
| 83-97 | | 5100 | BE5-6215-H5 ⁴⁵ ⁶⁵ | BE5-6216-H5 ⁶⁹ |
| | | | BE5-6526-H5 ⁴⁵ ⁶² | BE5-6527-H5 ⁴⁵ ⁷⁴ |
| Pickup 4WD (Standard Suspension) | | | | |
| F150 | | | | |
| 97-03 | Including Off-Road package; Exc. HD Model | HD | BE5-2489 | BE5-2490 |
| 97-02 | HD Model | HD | BE5-2489 | AK2284 |
| 80-96 | | HD | B46-1328 | B46-1618 |
| | Auxiliary | | B46-1616 | |
| F150 Super Crew | | | | |
| 01-03 | | HD | BE5-2574 | BE5-2490 |
| F250 | | | | |
| 97-03 | Light duty Model; Exc. air-leveling | HD | BE5-2489 | AK2284 |
| 87-98 | HD Model | HD | B46-1617 | B46-1618 |
| 82-86 | HD Model; From 3/82 | HD | B46-1615 | B46-1618 |
| F250 Superduty | | | | |
| 99-04 | | HD | BE5-2818 | BE5-2819 |
| F350 | | | | |
| 86-98 | | HD | B46-1617 | B46-1618 |
| 82-85 | | HD | B46-1615 | B46-1618 |
| F350 Superduty | | | | |
| 99-04 | | HD | BE5-2818 | BE5-2819 |
| Ranger | | | | |
| 99-03 | | HD | BE5-2794 | BE5-2795 |
| 90-97 | | HD | B46-2236 | B46-2335 |
| 83-89 | | HD | B46-1017 | B46-2335 |
| Utility 2WD & 4WD (Standard Suspension) | | | | |
| Bronco II | | | | |
| 90 | | HD | B46-2236 | B46-2283 |
| 89 | From 2/89; To 6/89 | HD | B46-1017 | B46-2283 |
| 83-89 | To 1/89 | HD | B46-1017 | B46-1018 |
| Utility 2WD (Lifted Suspension) | | | | |
| Excursion | | | | |
| 00-01 | | 5100 | In Dev. ⁴⁵ ⁶¹ ¹⁰² | N/A |
| Expedition | | | | |
| 97-02 | | 5100 | BE5-6092-H5 ⁶⁰ | BE5-2573 ⁶⁹ |
| | | | BE5-6092-H5 ⁶² | In Dev. ⁶⁷ |

³⁷ 3" Lowered front, utilized drop I-beam. ⁶⁸ 4" Lowered rear, lowered shackles.

⁴⁵ Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁶⁰ Front 3" Lift. ⁶¹ Front 4" Lift. ⁶² Front 6" Lift.

⁶⁴ Front 4-6" Lift. ⁶⁵ Front 4-5" Lift. ⁶⁶ Rear 2" Lift. ⁶⁷ Rear 3" Lift. ⁶⁸ Rear 4" Lift. ⁶⁹ Rear 0-1" Lift. ⁷⁰ Rear 0-2" Lift. ⁷¹ Rear 1-3" Lift.

⁷⁴ Rear 2-3" Lift. ¹⁰² Will not work with aftermarket radius arm.

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



| Year | Application | Setting | Front | Rear |
|------------------------------------------|-------------------|-----------|------------------------------------------------|------------------------------------------------|
| FORD (cont.) | | | | |
| Explorer | | | | |
| 90-94 | | 5100 | In Dev. ^[45] ^[61] | N/A |
| Utility 2WD (Standard Suspension) | | | | |
| Excursion | | | | |
| 00-01 | | HD | BE5-6206 | BE5-6207 |
| Expedition | | | | |
| 97-02 | Air-leveling | HD | BE5-2571 | BE5-2572 |
| | Exc. air-leveling | HD | BE5-2571 | BE5-2573 |
| Explorer Sport Trac | | | | |
| 01-04 | | HD | B46-2131 | In Dev. |
| Explorer | | | | |
| 02-04 | Exc. air-leveling | HD | In Dev. | In Dev. |
| 95-01 | Exc. air-leveling | HD | B46-2131 | B46-2132 |
| | | Axle Wrap | N/A | B36-2135 |
| 90-94 | Exc. air-leveling | HD | B46-1568 | B46-1569 |
| Ranchero | | | | |
| 72-79 | | HD | B46-1104 | B46-1498 |
| Utility 4WD (Lifted Suspension) | | | | |
| Excursion | | | | |
| 00-01 | | 5100 | In Dev. ^[64] | In Dev. |
| Bronco (Full size) | | | | |
| 80-96 | | 5100 | BE5-6243-H5 ^[45] ^[61] | BE5-6244-H5 ^[45] ^[72] |
| | | | BE5-6528-H5 ^[45] ^[62] | BE5-6244-H5 ^[45] ^[72] |
| | Auxiliary | | BE5-6238-H5 ^[45] ^[61] | |
| Explorer | | | | |
| 90-94 | | 5100 | In Dev. ^[61] | N/A |
| Utility 4WD (Standard Suspension) | | | | |
| Excursion | | | | |
| 00-01 | | HD | BE5-6208 | BE5-6209 |
| Expedition | | | | |
| 97-02 | Air-leveling | HD | N/A | BE5-2573 |
| | Exc. air-leveling | HD | BE5-2574 | BE5-2575 |
| Bronco (Full size) | | | | |
| 84-96 | | Auxiliary | B46-1616 | |
| 80-96 | | HD | B46-1328 | B46-1327 |
| Explorer Sport Trac | | | | |
| 01-04 | | HD | B46-2133 | In Dev. |
| Explorer | | | | |
| 02-04 | Exc. air-leveling | HD | In Dev. | In Dev. |
| 95-01 | Exc. air-leveling | HD | B46-2133 | B46-2134 |
| | | Axle Wrap | N/A | B36-2135 |
| 90-94 | Exc. air-leveling | HD | B46-1568 | B46-1569 |
| Van (Standard Suspension) | | | | |
| E100, E150 | | | | |
| 92-02 | | HD | B46-1719 | B46-1720 |
| 75-91 | | HD | B46-1325 | B46-1326 |

| Year | Setting | Front | Rear |
|----------------------------------------------------|--------------------------------------------------------|----------------------------------------------------------------|------------------------------------------------|
| BILSTEIN SHOCK ABSORBERS | | | |
| FORD (cont.) | | | |
| E200, E250, E300, E350 | | | |
| 92-02 | HD | B46-1613 | B46-1614 |
| 75-91 | HD | B46-1105 | B46-1106 |
| GEO | | | |
| Utility 2WD & 4WD (Standard Suspension) | | | |
| Tracker | | | |
| 89-98 | Exc. 4 Wheel ABS | HD | V36-0399 |
| | | | B36-1588 |
| GMC | | | |
| Mini-Van (M Series-Standard Suspension) | | | |
| Safari | | | |
| 85-02 | 2WD | HD | B46-1104 |
| | | | B46-1047 |
| 90-02 | 4WD | HD | B46-2136 |
| | | | B46-1047 |
| Pickup 2WD (Lifted Suspension) | | | |
| C1500 | | | |
| 88-98 | 5100 | BE5-6210-H5 ^[44] ^[46] ^[60] | BE5-1698 ^[69] |
| | | BE5-6210-H5 ^[44] ^[46] ^[62] | BE5-6137-H5 ^[45] ^[67] |
| Pickup 2WD (Lowered Suspension) | | | |
| C1500 | | | |
| 88-98 | HD | AK2083 ^[60] | B46-2171 ^[61] |
| Pickup 2WD (Standard Suspension) | | | |
| C1500, Sierra 1500 | | | |
| 99-04 | Exc. HD Model; Exc. Quad Steer | C | BE5-2906 |
| | | HD | B46-1697 |
| 99-03 | Exc. HD Model; Exc. Quad Steer | HD | BE5-2902 |
| | | | BE5-2903 |
| | HD Model; Exc. Quad Steer | HD | BE5-6081-H0 |
| | | | BE5-6082-H0 |
| 88-98 | | C | B46-2033 |
| | | | B46-1453 |
| C1500 | | | |
| 73-87 | | HD | B46-1185 |
| | | | B46-0933 |
| C2500, Sierra 2500 | | | |
| 99-04 | Including HD Model; Exc. Quad Steer; Torsion Bar Front | HD | BE5-6081-H0 |
| | | | BE5-6082-H0 |
| 88-98 | Including HD Model | C | B46-2033 |
| | | HD | B46-1697 |
| | | | B46-1698 |
| C2500 | | | |
| 73-87 | Crew Cab | HD | B46-1185 |
| | Exc. Crew Cab | HD | B46-1185 |
| | | | B46-0933 |
| C1500, C2500 | | | |
| 67-72 | Coil spring rear | HD | B46-1185 |
| | Leaf spring rear | HD | B46-1185 |
| | | | N/A |
| | | | N/A |
| C3500, Sierra 3500 | | | |
| 00-04 | | HD | BE5-6081-H0 |
| | | | BE5-6501-H0 |
| 88-99 | | C | B46-2033 |
| | | HD | B46-1697 |
| | | | B46-1698 |

^[60] 2 - 4" Lowered front, spindle and/or spring. ^[61] 4 - 6" Lowered rear, flip kit with lower mount extension. ^[44] Applies to upper A-arm type lift only.
^[45] Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ^[46] Shocks are banded compressed to aid installation.
^[60] Front 3" Lift. ^[61] Front 4" Lift. ^[62] Front 6" Lift. ^[64] Front 4-6" Lift. ^[67] Rear 3" Lift. ^[69] Rear 0-1" Lift. ^[72] Rear 2-4" Lift.

| Year | Application | Setting | Front | Rear |
|-----------------------------------------|-------------------------------------|-----------|---------------------------|-------------------------------------------------------|
| GMC (cont.) | | | | |
| C3500 | | | | |
| 73-87 | | HD | B46-1185 | B46-1587 |
| 63-72 | Exc. 157" wheel base | HD | B46-1185 | N/A |
| R1500 | | | | |
| 87-91 | | HD | B46-1185 | B46-0933 |
| R2500 | | | | |
| 87-91 | Exc. Crew Cab | HD | B46-1185 | B46-0933 |
| R2500, R3500 | | | | |
| 87-91 | Crew Cab | HD | B46-1185 | B46-1587 |
| S15 Pickup | | | | |
| 82-00 | | HD | B46-1307 | B46-1681 |
| Pickup 4WD (Lifted Suspension) | | | | |
| K1500 | | | | |
| 88-98 | | 5100 | BE5-6139-H5 ⁶⁴ | BE5-6137-H5 ⁴⁵ ⁷² ⁹¹ |
| Pickup 4WD (Standard Suspension) | | | | |
| K1500, Sierra 1500 | | | | |
| 00-04 | HD Model; Exc. Quad Steer | HD | BE5-6081-H0 | BE5-6082-H0 |
| 99-04 | Exc. HD Model; Exc. Quad Steer | HD | BE5-2904 | BE5-2905 |
| 88-98 | | C | BE5-2503 | B46-2087 |
| | | HD | BE5-A405-H0 | B46-2043 |
| K2500, Sierra 2500 | | | | |
| 00-04 | Including HD Model; Exc. Quad Steer | HD | BE5-6081-H0 | BE5-6082-H0 |
| 88-99 | | HD | BE5-A405-H0 | BE5-2568 |
| K1500, K2500 | | | | |
| 73-87 | | HD | B46-0923 | B46-0933 |
| 69-72 | | HD | B46-0923 | N/A |
| K3500, Sierra 3500 | | | | |
| 00-04 | | HD | BE5-6081-H0 | BE5-6501-H0 |
| 88-99 | | HD | BE5-A405-H0 | BE5-2568 |
| K3500 | | | | |
| 77-87 | | HD | AK2042 | AK2043 |
| V1500, V2500 | | | | |
| 87-91 | | HD | B46-0923 | B46-0933 |
| | | Auxiliary | B46-1026 | |
| V3500 | | | | |
| 87-91 | Crew Cab | HD | AK2042 | AK2043 |
| S15 Pickup | | | | |
| 95-02 | With ZR2 Suspension | HD | B46-1818 | B46-1819 |
| S15 Pickup Except Syclone | | | | |
| 82-02 | Exc. ZR2 Suspension | HD | B46-1410 | B46-1681 |
| Syclone | | | | |
| 90-93 | | HD | B46-1410 | B46-1681 |

| Year | Application | Setting | Front | Rear |
|------------------------------------------------|------------------------|-----------------|-------------------------------------------------------|-----------------------------------------|
| GMC (cont.) | | | | |
| Step Van (P Series-Standard Suspension) | | | | |
| P1500, P2500, P3500 | | | | |
| 84-00 | | Steering Damper | | BE3-2645 |
| 74-00 | | HD | B46-1173 | B46-1587 |
| 73-00 | | C | B46-2137 | B46-1587 |
| P1500 | | | | |
| 63-72 | | HD | B46-1173 | N/A |
| Utility 2WD (Lifted Suspension) | | | | |
| Suburban 1500 | | | | |
| 92-99 | | 5100 | BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶⁰ | BE5-6137-H5 ⁴⁵ ⁶⁹ |
| Yukon | | | | |
| 95-99 | 4 Door | 5100 | BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶² | BE5-6254-H5 ⁴⁵ ⁶⁷ |
| 92-99 | 2 Door | 5100 | BE5-6210-H5 ⁴⁴ ⁴⁶ ⁶⁰ | BE5-6137-H5 ⁴⁵ ⁶⁹ |
| Utility 2WD (Standard Suspension) | | | | |
| Yukon XL 1500 | | | | |
| 00-04 | | HD | BE5-6500-H0 | BE5-6501-H0 ⁴⁸ |
| Suburban 1500 | | | | |
| 92-99 | | C | BE5-2416 | BE5-2417 |
| | | HD | B46-2247 | B46-2248 |
| 73-91 | | HD | B46-1185 | B46-0933 |
| Yukon XL 2500 | | | | |
| 00-04 | Torsion bar front only | HD | BE5-6081-H0 | BE5-6501-H1 |
| Suburban 2500 | | | | |
| 92-99 | | HD | BE5-2422 | BE5-2423 |
| 73-91 | | HD | B46-1185 | B46-0933 |
| Yukon | | | | |
| 00-04 | 4 Door | HD | BE5-6500-H0 | BE5-6501-H0 ⁴⁹ |
| 95-99 | 2 Door | HD | BE5-2422 | BE5-2415 |
| | 4 Door | HD | BE5-2670 | BE5-2672 |
| Jimmy (Full size) | | | | |
| 73-87 | | HD | B46-1185 | B46-0933 |
| 69-72 | | HD | B46-1185 | N/A |
| Envoy | | | | |
| 02-04 | Air Suspension Rear | HD | BE5-A333-H0 | BE5-A334-H0 |
| | Non-Air Rear | HD | BE5-A333-H0 | BE5-A335-H0 |
| S15 Jimmy | | | | |
| 82-02 | | HD | B46-1307 | B46-1413-M0 |
| Caballero, Diabolo, Sprint | | | | |
| 73-86 | | HD | B36-0949 | B46-0929 ¹⁹ |
| Utility 4WD (Lifted Suspension) | | | | |
| Suburban 1500 | | | | |
| 92-99 | 4 Door | 5100 | BE5-6139-H5 ⁶⁴ | BE5-6137-H5 ⁴⁵ ⁷² |

¹⁹Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

⁴⁵Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber. ⁴⁶Shocks are banded compressed to aid installation.

⁴⁸In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199020 should be utilized. This will not replace electronic dampers.

⁴⁹In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199021 should be utilized. This will not replace electronic dampers.

⁶⁰Front 3" Lift. ⁶²Front 6" Lift. ⁶⁴Front 4-6" Lift. ⁶⁷Rear 3" Lift. ⁶⁹Rear 0-1" Lift. ⁷²Rear 2-4" Lift. ⁹¹Must order 1/2" sleeve part 423480.

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



| Year | Application | Setting | Front | Rear |
|-------------------------------------------|-----------------------------------|-----------|--------------------------|---------------------------------------|
| GMC (cont.) | | | | |
| Yukon | | | | |
| 95-99 | 4 Door | 5100 | BE5-6139-H5 [Ⓔ] | BE5-6254-H5 [Ⓔ] [Ⓙ] |
| 92-99 | 2 Door | 5100 | BE5-6139-H5 [Ⓔ] | BE5-6137-H5 [Ⓔ] [Ⓙ] |
| Utility 4WD (Standard Suspension) | | | | |
| Yukon XL 1500 | | | | |
| 00-04 | | HD | BE5-6500-H0 | BE5-6501-H0 [Ⓔ] |
| Suburban 1500 | | | | |
| 92-99 | | HD | BE5-A405-H0 | BE5-2421 |
| | | SP | B46-2041 | B46-2042 |
| 73-91 | | HD | B46-0923 | B46-0933 |
| | | Auxiliary | B46-1026 | |
| Yukon XL 2500 | | | | |
| 00-04 | | HD | BE5-6081-H0 | BE5-6501-H1 |
| Suburban 2500 | | | | |
| 92-99 | | HD | BE5-A405-H0 | BE5-2419 |
| | | SP | BE5-2403 | BE5-2405 |
| 73-91 | | HD | B46-0923 | B46-0933 |
| | | Auxiliary | B46-1026 | |
| Denali | | | | |
| 98-99 | | C | BE5-2424 | BE5-2425 |
| | | HD | BE5-A405-H0 | B46-2179 |
| Yukon | | | | |
| 00-04 | 4 Door | HD | BE5-6500-H0 | BE5-6501-H0 [Ⓔ] |
| 95-99 | 4 Door; Exc. Denali | C | BE5-2412 | BE5-2413 |
| | | HD | BE5-A405-H0 | B46-2179 |
| 92-99 | 2 Door | HD | BE5-2501 | BE5-2502 |
| Jimmy (Full size) | | | | |
| 80-91 | 2 Door | Auxiliary | B46-1026 | |
| 73-91 | 2 Door | HD | B46-0923 | B46-0933 |
| 69-72 | | HD | B46-0923 | N/A |
| Envoy | | | | |
| 02-04 | Air Suspension Rear | HD | BE5-A333-H0 | BE5-A334-H0 |
| | Non-Air Rear | HD | BE5-A333-H0 | BE5-A335-H0 |
| S15 Jimmy | | | | |
| 95-02 | With ZR2 Suspension | HD | B46-1852 | B46-2194 |
| 84-02 | Exc. ZR2 Suspension; Exc. Typhoon | HD | B46-1412 | B46-1413-M0 |
| | | SP | B46-1412-H0 | B46-1413-H0 |
| Typhoon | | | | |
| 92-94 | | HD | B46-1412 | B46-1413-M0 [Ⓔ] |
| | | SP | B46-1412-H0 | B46-1413-H0 |
| Van (G Series-Standard Suspension) | | | | |
| Savana 1500 | | | | |
| 96-04 | | HD | BE5-2565 | BE5-2481 |

| Year | Application | Setting | Front | Rear |
|----------------------------------------------------|-----------------------|---------|-----------------------|-------------|
| GMC (cont.) | | | | |
| G1500 | | | | |
| 78-95 | | HD | B46-1025 | B46-1026 |
| 71-77 | Exc. dual rear wheels | HD | B46-1025 | N/A |
| Savana 2500 | | | | |
| 96-04 | GWW over 7300 lbs | HD | BE5-2565 | BE5-2570 |
| | GWW to 7300 lbs | HD | BE5-2565 | BE5-2481 |
| G2500 | | | | |
| 78-95 | Exc. dual rear wheels | HD | B46-1025 | B46-1026 |
| 71-77 | Exc. dual rear wheels | HD | B46-1025 | N/A |
| Savana 3500 | | | | |
| 96-04 | | HD | BE5-2565 | BE5-2570 |
| G3500 | | | | |
| 78-95 | Exc. dual rear wheels | HD | B46-1025 | B46-1026 |
| 75-95 | Dual rear wheels | HD | B46-1025 | B46-1141 |
| 71-74 | Exc. dual rear wheels | HD | B46-1025 | N/A |
| HONDA | | | | |
| Mini-Van (Standard Suspension) | | | | |
| Odyssey | | | | |
| 94-98 | | HD | B46-2105 [Ⓢ] | B46-2106 |
| Utility 2WD & 4WD (Standard Suspension) | | | | |
| CR-V | | | | |
| 97-99 | | HD | BE5-2338 [Ⓢ] | BE5-2339 |
| Passport | | | | |
| 98-00 | | HD | BE5-6012 | BE5-6013 |
| 94-97 | | HD | AK1248 | AK1249 |
| HUMMER | | | | |
| Utility 4WD (Standard Suspension) | | | | |
| H2 | | | | |
| 03-04 | | HD | BE5-6081-H0 | BE5-6647-H5 |
| ISUZU | | | | |
| Truck (Standard Suspension Only) | | | | |
| NPR | | | | |
| 87-95 | GWW 13,250 lbs | HD | AK1250 | AK1251 |
| Utility 2WD & 4WD (Standard Suspension) | | | | |
| Amigo | | | | |
| 89-95 | | HD | AK1248 | B46-0258 |
| Rodeo | | | | |
| 98-02 | | HD | BE5-6012 | BE5-6013 |
| 91-97 | | HD | AK1248 | AK1249 |
| Utility 4WD (Standard Suspension) | | | | |
| Trooper | | | | |
| 92-00 | | HD | B46-1738-H2 | B46-1739-H1 |
| 86-91 | From 11/86 | HD | B46-0186 | B46-1239 |

[Ⓙ]Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

[Ⓢ]Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber.

[Ⓔ]In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199020 should be utilized. This will not replace electronic dampers.

[Ⓕ]In order to maintain standard ride height and load characteristics w/self leveling, Bilstein spring part 199021 should be utilized. This will not replace electronic dampers.

[Ⓖ]Front 4-6" Lift. [Ⓙ]Rear 2-4" Lift. [Ⓢ]Original brake line bracket must be re-used, installation tool included.

| Year | Application | Setting | Front | Rear |
|----------------------------------------------------|----------------------------------------|---------|--------------------------------------------|---------------------------------------------|
| JEEP | | | | |
| Pickup 2WD & 4WD (Standard Suspension) | | | | |
| Gladiator J2000, J3000, J4000 | | | | |
| 66-73 | | HD | B46-0256 | B46-0056 |
| Pioneer J10, J20 | | | | |
| 74-88 | | HD | B46-0046 | B46-0056 |
| Utility 2WD & 4WD (Lifted Suspension) | | | | |
| Cherokee (XJ) | | | | |
| 84-00 | | 5100 | BE5-6241-H7 ⁴⁵ ⁶¹ | BE5-6686-H5 ⁴⁵ ⁶⁸ |
| | | | BE5-6255-H5 ⁴⁵ ⁶⁰ | BE5-6256-H5 ⁴⁵ ⁷⁴ |
| Utility 2WD & 4WD (Standard Suspension) | | | | |
| Liberty (KJ) | | | | |
| 02-03 | | HD | In Dev. | In Dev. |
| Cherokee (XJ) | | | | |
| 94-01 | | HD | B46-1798 | B46-1046 ¹⁹ |
| Cherokee (XJ), Wagoneer (XJ) | | | | |
| 84-93 | | HD | B46-1045 | B46-1046 ¹⁹ |
| Grand Cherokee (ZJ) | | | | |
| 99-03 | Including Sahara package and UpCountry | HD | BE5-2963 | BE5-2964 |
| 93-98 | Including Sahara package and UpCountry | HD | B46-1798 | B46-1799 |
| Grand Wagoneer | | | | |
| 84-92 | | HD | B46-0046 | B46-0056 |
| Cherokee (SJ), Wagoneer | | | | |
| 76-83 | | HD | B46-0046 | B46-0056 |
| Utility 4WD (Lifted Suspension) | | | | |
| Wrangler (TJ) | | | | |
| 96-04 | | 5100 | BE5-2731-H5 ⁴⁵ ⁶⁰ | BE5-2732-H5 ⁴⁵ ⁶⁷ |
| | Exc. Long-Arm | 5100 | BE5-6241-H5 ⁴⁵ ⁶¹ | BE5-6242-H5 ⁴⁵ ⁶⁸ |
| | Long-Arm | 5100 | AK1064 ⁴⁵ ⁶¹ | AK1065 ⁴⁵ ⁶⁸ |
| | w/ Rubicon Express Lift Kit | 5100 | AK1062 ⁴⁵ ⁸¹ | BE5-6242-H5 ⁴⁵ ¹⁰³ |
| Wrangler (YJ) | | | | |
| 86-95 | | 5100 | BE5-6457-H5 ⁴⁵ ⁶³ | BE5-6458-H0 ⁴⁵ ⁷³ |
| | Springover | 5100 | BE5-6457-T5 ⁴⁵ | BE5-6458-T5 ⁴⁵ |
| Grand Cherokee (ZJ) | | | | |
| 93-98 | | 5100 | In Dev. ⁶⁰ | In Dev. ⁶⁰ |
| Utility 4WD (Standard Suspension) | | | | |
| Wrangler (TJ) | | | | |
| 02-04 | Rubicon | HD | In Dev. | In Dev. |
| 96-04 | | HD | BE5-2442 | BE5-2443 |
| Wrangler (YJ) | | | | |
| 86-95 | | HD | B46-1309 | B46-1310 |

¹⁹ Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

⁴⁵ Compression bump stop on chassis may need to be modified to prevent damage to the shock absorber.

⁶⁰ Front 3" Lift.

⁶¹ Front 4" Lift.

⁶³ Front 3-4" Lift.

⁶⁷ Rear 3" Lift.

⁶⁸ Rear 4" Lift.

⁷³ Rear 3-4" Lift.

⁷⁴ Rear 2-3" Lift.

⁸⁰ Front 2-3" Lift.

⁸¹ Front 5-6" Lift.

¹⁰³ Rear 5-6" Lift.

| Year | Application | Setting | Front | Rear |
|-------------------------------------------------|-----------------------------------------------------|-----------------|-------------|-------------|
| JEEP (cont.) | | | | |
| CJ5, CJ7, CJ8 | | | | |
| 82-86 | | HD | AK1066 | B46-0260 |
| CJ5, CJ6, CJ7, DJ5, DJ6, Scrambler (CJ8) | | | | |
| 55-81 | Exc. 5-leaf front spring | HD | B46-0250 | B46-0260 |
| CJ5, CJ6 | | | | |
| 55-71 | With 5-leaf front spring | HD | B46-0250 | B46-0250 |
| LAND ROVER | | | | |
| Utility 4WD (Standard Suspension) | | | | |
| Defender 110, 90 | | | | |
| 94-97 | | HD | B46-0243-M0 | B46-0253 |
| | | Steering Damper | | B36-2235 |
| Discovery II | | | | |
| 99-02 | Exc. With Active Suspension (ACE System) | HD | BE5-6046-H0 | BE5-6047-H0 |
| 94-98 | Exc. With Active Suspension (ACE System); From 6/94 | HD | B46-0243-M0 | BE5-2779 |
| | | Steering Damper | | B36-0245-M0 |
| Discovery I | | | | |
| 89-94 | To 5/94 | HD | B46-0243-M0 | B46-0253 |
| | | Steering Damper | | B36-0245-M0 |
| Range Rover 4.0SE, 4.6HSE | | | | |
| 94-00 | With Air Suspension; From 10/94 | HD | B46-2214 | B46-2215 |
| Range Rover | | | | |
| 92-94 | With Air Suspension; To 9/94 | HD | B46-2153 | B46-2152 |
| 71-94 | Exc. Air Suspension; To 9/94 | HD | B46-0243-M0 | B46-0253 |
| | | Steering Damper | | B36-0245-M0 |
| LINCOLN | | | | |
| Utility 2WD (Standard Suspension) | | | | |
| Blackwood | | | | |
| 01-02 | Non self-leveling | HD | BE5-2571 | BE5-2479 |
| Navigator | | | | |
| 97-02 | Non self-leveling | HD | BE5-2571 | BE5-2573 |
| Utility 4WD (Standard Suspension) | | | | |
| Navigator | | | | |
| 97-02 | Non self-leveling | HD | BE5-2574 | BE5-2575 |
| MAZDA | | | | |
| Pickup 2WD (Standard Suspension) | | | | |
| B3000, B4000 Dual Sport | | | | |
| 99-04 | | HD | BE5-2794 | BE5-2795 |
| B2300, B3000, B4000 | | | | |
| 98-04 | | HD | BE5-2791 | BE5-2792 |
| 94-97 | | HD | B46-2236 | B46-2283 |

LIGHT TRUCKS, UTILITY VEHICLES & VANS LISTINGS



Year Application Setting Front Rear

MAZDA (cont.)

Pickup 4WD (Standard Suspension)

B2300, B3000, B4000

| | | | | |
|-------|--|----|----------|----------|
| 98-04 | | HD | BE5-2794 | BE5-2795 |
| 94-97 | | HD | B46-2236 | B46-2335 |

Utility 2WD & 4WD (Standard Suspension)

Navajo

| | | | | |
|-------|--|----|----------|----------|
| 91-94 | | HD | B46-1568 | B46-1569 |
|-------|--|----|----------|----------|

MERCEDES BENZ

Important Note: When in doubt as to which shock absorber is correct (eg. 1976 240D), check the chassis number of the car and compare it to the production series numbers listed below. If the first three digits of the chassis number match the production series number, the shocks listed will fit the car.

Utility 4WD (Standard Suspension), Series W163

ML320, ML350, ML430

| | | | | |
|-------|-----------|----|-------------|----------|
| 99-03 | From 1/99 | HD | BE5-6456-H0 | BE5-2985 |
| 97-98 | | HD | BE5-6456-H0 | N/A |

Utility 4WD (Standard Suspension), Series W460

240GD, 300GD, 230G, 280GE

| | | | | |
|-------|----------|----|----------|----------|
| 79-90 | To 12/90 | HD | B46-0504 | B46-0514 |
|-------|----------|----|----------|----------|

Utility 4WD (Standard Suspension), Series W463

240GD, 300GD, 230G, 280GE

| | | | | |
|-------|--|----|----------|----------|
| 91-03 | | HD | B46-1635 | B46-1636 |
|-------|--|----|----------|----------|

MERCURY

Utility 2WD (Standard Suspension)

Mountaineer

| | | | | |
|-------|-------------------|-----------|----------|----------|
| 02-04 | Exc. air-leveling | HD | In Dev. | In Dev. |
| 96-01 | Exc. air-leveling | HD | B46-2131 | B46-2132 |
| | | Axle Wrap | N/A | B36-2135 |

Utility 4WD (Standard Suspension)

Mountaineer

| | | | | |
|-------|-------------------|-----------|----------|----------|
| 02-04 | Exc. air-leveling | HD | In Dev. | In Dev. |
| 96-01 | Exc. air-leveling | HD | B46-2133 | B46-2134 |
| | | Axle Wrap | N/A | B36-2135 |

MITSUBISHI

Utility 4WD (Standard Suspension)

Montero Sport

| | | | | |
|-------|-------|----|-------------|-------------|
| 00-01 | 6 cyl | HD | B46-1794-H1 | BE5-6425-H0 |
|-------|-------|----|-------------|-------------|

Montero

| | | | | |
|-------|-------|----|----------|----------|
| 92-99 | 6 cyl | HD | B46-1794 | B46-1795 |
| 88-91 | 6 cyl | HD | B46-1336 | B46-1337 |

NISSAN

Pickup 2WD (Standard Suspension)

Frontier

| | | | | |
|-------|---------------------------|----|-------------|-------------|
| 99-03 | Crew Cab or Desert Runner | HD | B46-1099-H1 | BE3-6422-H0 |
| | Standard Cab or King Cab | HD | BE3-6420-H0 | B46-2067-H0 |

Year Application Setting Front Rear

NISSAN (cont.)

1/2 Ton Pickup

| | | | | |
|-------|-------------|----|----------|----------|
| 86-97 | From 86 1/2 | HD | B46-1099 | B46-1100 |
| 68-85 | | HD | B46-1780 | 606493 |

Pickup 4WD (Standard Suspension)

Frontier

| | | | | |
|-------|--|----|-------------|-------------|
| 98-03 | | HD | B46-1099-H1 | B46-2128-H1 |
|-------|--|----|-------------|-------------|

1/2 Ton Pickup

| | | | | |
|-------|--|----|----------|----------|
| 82-97 | | HD | B46-1099 | B46-1100 |
| 80-81 | | HD | B46-1780 | 606493 |

Utility 2WD (Standard Suspension)

Xterra

| | | | | |
|-------|--|----|-------------|-------------|
| 99-03 | | HD | B46-1099-H1 | BE3-6422-H0 |
|-------|--|----|-------------|-------------|

Utility 4WD (Standard Suspension)

Xterra

| | | | | |
|-------|--|----|-------------|-------------|
| 99-03 | | HD | B46-1099-H2 | BE3-6422-H0 |
|-------|--|----|-------------|-------------|

Pathfinder

| | | | | |
|-------|--|----|--------------------------|--------------------------|
| 86-95 | | HD | BE5-2400 ^[17] | BE5-2401 ^[17] |
| | | SP | B46-1245 ^[17] | B46-2077 ^[17] |

OLDSMOBILE

Mini-Van (Standard Suspension)

Silhouette

| | | | | |
|-------|--|----|----------|--------------------------|
| 90-96 | | HD | S36-0203 | B46-1019 ^[19] |
|-------|--|----|----------|--------------------------|

Utility 4WD (Standard Suspension)

Bravada

| | | | | |
|-------|--|----|-------------|-------------|
| 96-01 | | C | B46-1598 | B46-1599 |
| | | HD | B46-1412 | B46-1413-M0 |
| | | SP | B46-1412-H0 | B46-1413-H0 |
| 91-94 | | C | B46-1598 | B46-1599 |
| | | HD | B46-1412 | B46-1413-M0 |
| | | SP | B46-1412-H0 | B46-1413-H0 |

PLYMOUTH

Pickup 2WD (Standard Suspension)

Arrow

| | | | | |
|-------|--|----|----------|----------|
| 79-83 | | HD | B36-0949 | B46-0257 |
|-------|--|----|----------|----------|

Pickup 4WD (Standard Suspension)

Arrow

| | | | | |
|-------|--|----|----------|----------|
| 82-83 | | HD | B36-0949 | B46-0258 |
|-------|--|----|----------|----------|

Utility 2WD (Standard Suspension)

PD100 (Trail Duster)

| | | | | |
|-------|--|----|----------|----------|
| 74-81 | | HD | B46-1828 | B46-1829 |
|-------|--|----|----------|----------|

Van (Standard Suspension)

PB100, PB150, PB200, PB250

| | | | | |
|-------|--|----|----------|----------|
| 74-83 | | HD | B46-0925 | B46-1137 |
|-------|--|----|----------|----------|

PB300, PB350

| | | | | |
|-------|--|----|--------------------------|----------|
| 74-83 | | HD | B46-0925 ^[20] | B46-1137 |
| | | | B46-1401 ^[20] | B46-1137 |

^[17] Does not replace electronically adjustable system. ^[19] Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.

^[20] Front axle 4000 lbs. and over. ^[21] Front axle less than 4000 lbs.

| Year | Application | Setting | Front | Rear |
|----------------------------------------------------|-----------------------------|---------|---------------------------|----------------------------|
| PONTIAC | | | | |
| Mini-Van (Standard Suspension) | | | | |
| Trans Sport | | | | |
| 90-96 | | HD | S36-0203 | B46-1019 ¹⁹ |
| SUZUKI | | | | |
| Utility 2WD & 4WD (Standard Suspension) | | | | |
| Sidekick | | | | |
| 89-98 | Exc. 4 Wheel ABS | HD | V36-0399 | B36-1588 |
| TOYOTA | | | | |
| Pickup 2WD & 4WD (Lifted Suspension) | | | | |
| Tundra | | | | |
| 99-04 | Coilover | 5100 | BTS-7514 ²⁰ | BE5-A014-H5 ²³ |
| Pickup 2WD (Standard Suspension) | | | | |
| Tundra | | | | |
| 99-04 | | HD | BE5-6024 | BE5-6025 |
| T100 | | | | |
| 93-00 | | HD | B46-2127 | B46-2128 |
| Tacoma | | | | |
| 98-03 | PreRunner | HD | B46-2284 B46-2284 | B46-2285(L) B46-2286(R) |
| 95-03 | Exc. PreRunner; From 95 1/2 | HD | BE3-2674 | BE5-2675 |
| Pickup | | | | |
| 84-95 | | HD | B46-1772 | B46-0257 |
| 74-83 | | HD | N/A | B46-0257 |
| Pickup 4WD (Lifted Suspension) | | | | |
| Pickup | | | | |
| 86-95 | | 5100 | BE5-6582-H5 ²³ | BE5-6583-H5 ²³ |
| Pickup 4WD (Standard Suspension) | | | | |
| Tundra | | | | |
| 99-04 | | HD | BE5-6024 | BE5-6025 |
| T100 | | | | |
| 93-00 | | HD | B46-2125 | B46-2126 |
| Tacoma | | | | |
| 95-03 | From 95 1/2 | HD | B46-2284 B46-2284 | B46-2285(L) B46-2286(R) |
| Pickup | | | | |
| 86-95 | | HD | B46-1139 | B46-1140 |
| 84-85 | | HD | B46-0425 | B46-1140 |
| 79-83 | | HD | B46-0425 | B46-0258 |
| Utility 2WD & 4WD (Lifted Suspension) | | | | |
| 4-Runner | | | | |
| 90-95 | | 5100 | BE5-6582-H5 ²³ | In Dev. ²³ |
| 86-89 | | 5100 | BE5-6582-H5 ²³ | BE5-6583-H5 ²³ |

| Year | Application | Setting | Front | Rear |
|----------------------------------------------------|----------------------|-----------------|------------------------|-------------|
| TOYOTA (cont.) | | | | |
| Utility 2WD & 4WD (Standard Suspension) | | | | |
| Sequoia | | | | |
| 01-03 | | HD | BE5-6024 | BE5-6738-H0 |
| 4-Runner | | | | |
| 90-95 | | HD | B46-1468 | B46-1469 |
| 86-89 | | HD | B46-1139 | B46-1140 |
| 84-85 | | HD | B46-0425 | B46-1140 |
| Utility 2WD (Standard Suspension) | | | | |
| 4-Runner | | | | |
| 03-04 | | HD | In Dev. | In Dev. |
| 96-02 | | HD | BE5-2482 ¹⁹ | BE5-2451 |
| Utility 4WD (Standard Suspension) | | | | |
| Landcruiser | | | | |
| 98-01 | | HD | BE5-2739 | BE5-2740 |
| Landcruiser FJ80 | | | | |
| 91-97 | | HD | B46-1477 | B46-1478 |
| Landcruiser FJ60, HJ60 | | | | |
| 88-90 | | HD | B46-0247 | B46-1132 |
| 80-87 | From 4/80 | HD | B46-0247 | B46-0256 |
| Landcruiser FJ61, FJ62 | | | | |
| 85-90 | | HD | B46-1004 | B46-1132 |
| Landcruiser FJ40 | | | | |
| 75-82 | From 1/75 | HD | B46-0248 | B46-0258 |
| 60-74 | To 12/74 | HD | B46-0248 | N/A |
| 4-Runner | | | | |
| 03-04 | | HD | In Dev. | In Dev. |
| 96-02 | | HD | BE5-2450 ¹⁹ | BE5-2451 |
| RAV4 | | | | |
| 00-00 | | HD | P30-3061 ⁴³ | B36-2120 |
| | | SP | P30-3062 ⁴³ | B36-2121 |
| 98-99 | Exc. Limited Edition | HD | P30-3061 ⁴³ | B36-2120 |
| | | SP | P30-3062 ⁴³ | B36-2121 |
| 96-97 | | HD | P30-3061 ⁴³ | B36-2120 |
| | | SP | P30-3062 ⁴³ | B36-2121 |
| VOLKSWAGEN | | | | |
| Van (Standard Suspension) | | | | |
| Eurovan T4 | | | | |
| 91-01 | Including Synchro | TC | BNE-2851-BA | BNE-2852-BA |
| | | HD | B46-1911-H1 | B46-1912-H1 |
| Vanagon | | | | |
| 79-91 | Exc. Synchro | TC | BNE-2019-BE | BNE-2007-BE |
| | | HD | B46-0820 | B46-0830 |
| Type 2: Bus & Transporter | | | | |
| 61-76 | To 8/76 | Steering Damper | | B22-0028 |
| 55-67 | To 7/67 | HD | B46-0032 | B46-0040 |

¹⁹ Re-install original equipment hardware. ²⁰ Replacement unit is a conventional shock. Leveling system will not function when this shock is installed.
⁴³ Verify that strut units are serviceable with cartridge insert. ²³ Front 3-4" Lift. ²³ Rear 3-4" Lift. ²⁰ Front 0-2" Lift. ²³ Rear 1-2" Lift.